LMPIS®

INDUSTRIAL LIGHTING SOLUTION





Product Catalogue

Excellence Create the

Difference...

OUR COMPANY

ABOUT US



We unlock the extraordinary potential of light for brighter lives and a better world. We focus on providing our customers with quality, energy- efficient Lighting products, Systems & services. Our purpose is to unlock the extraordinary potential of light for Brighter Lives & better World.

Since its inception, LMPIS has been made noteworthy investments in creation and innovation, due to its absolute dedication towards creativity and quality help us in opening up new market opportunities within the country.

We are devoted to reducing energy needs & deeds and minimizing waste, for this we bring an absolute array of highly energy-efficient LED Lights for both Industrial and commercial lighting purpose. Supported by a band of engineers and professionals whose immense understanding and precious inputs have been indispensable to us, we have lined our position as a trusted marketplace for all the LED Lighting solution.

Clients

and many more..

➢ Symbol of Trust:

GeM Government e Marketplace

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

INDEX

SN.	PRODUCTS	PAGE NO.
1	Street Light	05-06
2	Solar Street Light	07
3	Glass Flood Light	8
4	Lens Flood Light	9
5	Stadium Flood Light	10
6	Canopy Light	11
7	Well Glass Light	12
8	Flame Proof Light	13
9	Highbay Light	14
10	Search Light	15
11	Lumina Panel	17
12	Trio Cob	18
13	Pride Cob	19
14	Oasis Tracklight	20
15	Wonder Tracklight	21
16	Garden Light	22
17	Driver SKD	23



L_MPIS®

INDUSTRIAL LIGHTING SOLUTION

OUTDOOR SERIES



LMPIS®
INDUSTRIAL LIGHTING SOLUTION

STREET LIGHT

Lens Model

ULTIMATE RANGE **IN LED LIGHTING**



IP-LENS**LED**

STREET LIGHT

TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	COLOUR	LUMEN	STD. PACK
SL-30W-LM	30W	325x125x45		120 lm/W	20
SL-50W-LM	50W	390x145x45		120 lm/W	20
SL-70W-LM	70W	390x145x45		120 lm/W	20
SL-100W-LM	100W	450x170x45		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Cool White, Natural White, Warm White**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

STREET LIGHT

Lens Model

ULTIMATE RANGE **IN LED LIGHTING**



IP-LENS**LED**

POWER LED STREET LIGHT

TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	COLOUR	LUMEN	STD. PACK
SL-24W-LM	24W	90x51x39		120 lm/W	20
SL-50W-LM	50W	154x70x42		120 lm/W	20
SL-70W-LM	70W	154x70x42		120 lm/W	20
SL-100W-LM	100W	450x170x45		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Cool White, Natural White, Warm White**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

STREET LIGHT

Led Solar Light

ULTIMATE RANGE **IN LED LIGHTING**







Product Code	LED Wattage	Suggested PV Module	Battery	Lum. Flux	Size (mm)
LMPIS-INT-10-PRM-A	10W	30W	12.8V 6AhLifePo4	1400 Lumen	325x160x90
LMPIS-INT-12-PRM-A	12W	40W	12.8V 12AhLifePo4	1680 Lumen	325x160x90
LMPIS-INT-15-PRM-A	15W	50W	12.8V 12AhLifePo4	2100 Lumen	325x160x90
LMPIS-INT-18-PRM-A	18W	60W	12.8V 18AhLifePo4	2520 Lumen	430x170x120
LMPIS-INT-24-PRM-A	24W	75W	12.8V 18AhLifePo4	3360 Lumen	430x170x120
LMPIS-INT-30-PRM-A	30W	100W	12.8V 24AhLifePo4	4200 Lumen	430x170x120
LMPIS-INT-36-PRM-A	36W	120W	12.8V 30AhLifePo4	5040 Lumen	430x170x120
LMPIS-INT-40-PRM-A	40W	120W	12.8V 36AhLifePo4	5600 Lumen	430x170x120
LMPIS-INT-45-PRM-A	45W	160W	12.8V 42AhLifePo4	6300 Lumen	430x170x200
LMPIS-INT-50-PRM-A	50W	160W	12.8V 48AhLifePo4	7000 Lumen	430x170x200
LMPIS-INT-60-PRM-A	60W	160W	12.8V 54AhLifePo4	8400 Lumen	430x170x200

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices

Hotels and Restaurants

Residences

Retail

Hospitals

Xtreme fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

FLOOD LIGHT

Glass Model

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
FL-50W-GM	50W	223x218x35		120 lm/W	20
FL-100W-GM	100W	283x280x42		120 lm/W	20
FL-200W-GM	200W	350x285x65		120 lm/W	20
FL-300W-GM	300W	422x320x65		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Red, Pink & Green Color Also.**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

FLOOD LIGHT

Lens Model

ULTIMATE RANGE **IN LED LIGHTING**





TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
FL-50W-LM	50W	200x215x48		120 lm/W	20
FL-100W-LM	100W	293x283x48		120 lm/W	20
FL-150W-LM	150W	293x283x48		120 lm/W	20
FL-200W-LM	200W	325x327x48		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Red, Pink & Green Color Also.**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

FLOOD LIGHT

Stadium Model

ULTIMATE RANGE **IN LED LIGHTING**





TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
FL-100W-HP	100W	288x223x75		120 lm/W	20
FI-200W-HP	200W	340x105x75		120 lm/W	20
FI-300W-HP	300W	400x300x90		120 lm/W	20
FL-400W-HP	400W	500x340x90		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Red, Pink & Green Color Also.**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

CANOPY LIGHT

Led Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	COLOUR	LUMEN	STD. PACK
LMPISHBFL4B	80W	180x180x65		120 lm/W	20
LMPISHBFL2D	160W	227x248x73		120 lm/W	20
LMPISHBFL1E	200W	380x300x73		120 lm/W	20
LMPISHBFL2E	240W	380x300x73		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

Also Available in

- **Red, Pink & Green Color Also.**
- **Day night Sensor, Motion Sensor & dimming control**
- **Available In Cool white, Neutral White & Warm White**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

WELL GLASS
Led Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
WGL-30W	30W	150x105		120 lm/W	20
WGL-40W	40W	150x105		120 lm/W	20
WGL-50W	50W	180x105		120 lm/W	20
WGL-70W	70W	180x105		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Cool White, Natural White, Warm White**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme tra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

FLAMEPROOF
Led Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
FLP-50W-SN	50W	255x165		120 lm/W	20
FLP-70W-SN	70W	255x165		120 lm/W	20
FLP-150W-SN	150W	295x170		120 lm/W	20
FLP-250W-GM	250W	290x195		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Cool White, Natural White, Warm White**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

HIGHBAY LIGHT

Led Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
HBL-100W	100W	235x120		120 lm/W	20
HBL-150W	150W	235x120		120 lm/W	20
HBL-200W	200W	355x150		120 lm/W	20
HBL-300W	300W	460x160		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Red, Pink & Green Color Also.**
- **Day night Sensor, Motion Sensor & dimming control**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

SEARCH LIGHT

Led Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT	WATT	SIZE	COLOUR	LUMEN	STD. PACK
LMPISHBFL1C	100W	160x168x50		120 lm/W	20
LMPISHBFL1E	200W	285x139x50		120 lm/W	20
LMPISHBFL1F	300W	440x135x80		120 lm/W	20
LMPISHBFL2F	350W	440x135x80		120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
6KV

Also Available in

- **Cool White, Natural White, Warm White**
- **Automatic, Semi-automatic and Manual Revolving**

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

INDOOR SERIES




LMPIS®
INDUSTRIAL LIGHTING SOLUTION

LUMINA
Led Slim Panel Light
ULTIMATE RANGE **IN LED LIGHTING**





Optional: Surface Mounting Ring
Available for: 8W,15W & 22W Backlit Panel



TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	COLOUR	LUMEN	STD. PACK
LM-151 LUMINA	5W	75x75		120 lm/W	20
LM-152 LUMINA	8W	116x116		120 lm/W	20
LM-153 LUMINA	10W	147x147		120 lm/W	20
LM-154 LUMINA	15W	162x162		120 lm/W	20
LM-155 LUMINA	22W	220x220		120 lm/W	20
LM-156 LUMINA 3IN1	8W	116x116	3IN1	120 lm/W	20
LM-157 LUMINA 3IN1	15W	162x162	3IN1	120 lm/W	20

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

TRIO COB
Led Light

ULTIMATE RANGE **IN LED LIGHTING**



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	CUTOUT	OUTER DIA	COLOUR	LUMEN
LM-160 TRIO	6W	65	75		120 lm/W
LM-161 TRIO	12W	75	85		120 lm/W
LM-162 TRIO	15W	85	110		120 lm/W
LM-163 TRIO	18W	85	110		120 lm/W
LM-164 TRIO	20W	105	130		120 lm/W
LM-165 TRIO	35W	105	150		120 lm/W

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

PRIDE COB
Led Surface Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	BODY COLOR	COLOUR	LUMEN
LM-171 PRIDE	6W	55x100	BLACK / WHITE		120 lm/W
LM-172 PRIDE	12W	75x100	BLACK / WHITE		120 lm/W
LM-173 PRIDE	20W	94x150	BLACK / WHITE		120 lm/W

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

OASIS TRACK
Led Light

ULTIMATE RANGE **IN LED LIGHTING**





Track Light Connector: Black/White

I Type: | L Type: | T Type:

Track Rail: Black/White

1 Metre Rail	2 Metre Rail
Dimension (LxWxH): 1000x42x20	Dimension (LxWxH): 2000x42x20

TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	BODY COLOR	COLOUR	LUMEN
LM-181 TRACK /SURFACE	12W	55x36	BLACK / WHITE		120 lm/W
LM-182 TRACK /SURFACE	20W	86x157	BLACK / WHITE		120 lm/W
LM-183 TRACK /SURFACE	30W	90x160	BLACK / WHITE		120 lm/W

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

WONDER TRACK
Led Light

ULTIMATE RANGE **IN LED LIGHTING**





Track Light Connector: Black/White

I Type: | L Type: | T Type:

Track Rail: Black/White

1 Metre Rail	2 Metre Rail
Dimension (LxWxH): 1000x42x20	Dimension (LxWxH): 2000x42x20

TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	BODY COLOR	COLOUR	LUMEN
LM-191 TRACK /SURFACE	12W	74x90	BLACK / WHITE		120 lm/W
LM-192 TRACK /SURFACE	20W	92x116	BLACK / WHITE		120 lm/W
LM-193 TRACK /SURFACE	30W	98x132	BLACK / WHITE		120 lm/W

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

ARENA
Led Garden Light

ULTIMATE RANGE **IN LED LIGHTING**



TECHNICAL SPECIFICATIONS:

PRODUCT MODEL	WATT	SIZE	COLOUR	LUMEN
LM-201 Garden light	5W	75x68	3K/6.5K/Red/Green/Blue/Pink	120 lm/W
LM-202 Garden light	9W	85x72	3K/6.5K/Red/Green/Blue/Pink	120 lm/W
LM-203 Garden light	12W	85x72	3K/6.5K/Red/Green/Blue/Pink	120 lm/W

CRI >80

System Lumens
> 140 lm/w

Input
130-320V AC

Surge Protection
4KV

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

LMPIS®
INDUSTRIAL LIGHTING SOLUTION

DRIVER /PCB

ULTIMATE RANGE **IN LED LIGHTING**

Water Proof IP67 Driver















Driver Technical Parameters

Wattage	Input Voltage	Output Voltage (Vdc)	Output Current	Efficiency	Power factor	Surge Protection	Isolated	THD	Size (mm)	Price
18-24W	100V-300V	60-72 V	300 mA	>88 %	>0.95	6 KV	Yes	<10%	60x27x14	95
	100V-300V	28-36 V	600 mA	>88 %	>0.95	6 KV	Yes	<10%	60x27x14	95
30W	100V-300V	24-36 V	900 mA	>88 %	>0.95	6 KV	Yes	<10%	63x27x16	105
50W	100V-300V	60-72 V	750 mA	>88 %	>0.95	6 KV	Yes	<10%	81x32x20	110
	100V-300V	28-36 V	1200 mA	>88 %	>0.95	6 KV	Yes	<10%	81x32x20	110
	100V-300V	28-36V	1500 mA	>88 %	>0.95	6 KV	Yes	<10%	81x32x20	110

GST 18 % and Freight additional.

New Product: 100W - 1500mA & 3000mA - Price 165/-

Warranty : 24 Months

APPLICATIONS

Offices | Hotels and Restaurants | Residences | Retail | Hospitals

Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC


Xtreme Xtra fast. LED
INTELLIGENT DYNAMIC

Certification & Credentials









LM POWER AND INDUSTRIAL SOLUTIONS PRIVATE LIMITED
Plot No :- C-96, Block C, Durga Enterprises,
Near Major Mohit Sharma Rajendra NagarMetro,
Sahibabad, Ghaziabad - 201001 Phone no.: 9563664355
Email: info@lmpis.in GSTIN: 09AAECL2236N1Z8
State: 09- Uttar Pradesh

Contact Us
Email: info@lmpis.in
MB: +91-8595758946
MB: +91-9910208125

LMPIS®
INDUSTRIAL LIGHTING SOLUTION